



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

FlowPro Value Stream  
 Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-389-4166  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For GG Series Pump

#### Model GG210I



Iron Construction

Standard Clearance



3" Std. Port Size





Viscosity: 32 SSU




Viscosity: 100 SSU



Viscosity: 250 SSU



Viscosity: 750 SSU



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.3.A.6

Created on  
 January 3, 2003



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

FlowPro Value Stream  
 Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-389-4166  
 tuthillpump@tuthill.com  
 www.tuthillpump.com





### Performance Data For GG Series Pump

#### Model GG210I

Iron Construction

Standard Clearance

3" Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.3.A.6

Created on  
 January 3, 2003



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

FlowPro Value Stream  
 Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-389-4166  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For GG Series Pump

#### Model GG210I



Iron Construction

Standard Clearance


3" Std. Port Size



Viscosity: 250,000 SSU



Viscosity: 750,000 SSU



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.3.A.6

Created on  
 January 3, 2003



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

FlowPro Value Stream  
 Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-389-4166  
 tuthillpump@tuthill.com  
 www.tuthillpump.com


### Performance Data For GG Series Pump

#### Model GG210S



Stainless Steel Construction

Standard Clearance



3" Std. Port Size





Viscosity: 32 SSU




Viscosity: 100 SSU



Viscosity: 250 SSU



Viscosity: 750 SSU



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.3.A.6

Created on  
 January 3, 2003



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

FlowPro Value Stream  
 Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-389-4166  
 tuthillpump@tuthill.com  
 www.tuthillpump.com





### Performance Data For GG Series Pump

#### Model GG210S

Stainless Steel Construction

Standard Clearance

3" Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.3.A.6

Created on  
 January 3, 2003



12500 South Pulaski Road  
 Alsip, Illinois USA 60803  
 Tel 708 389-2500 Fax 708 388-0869  
 email: tuthillpump@tuthill.com  
 www.tuthill.com

FlowPro Value Stream  
 Tuthill Pump Group  
 12500 South Pulaski Road  
 Alsip, Illinois 60803  
 USA  
 Phone: 708-389-2500  
 Fax: 708-389-4166  
 tuthillpump@tuthill.com  
 www.tuthillpump.com



### Performance Data For GG Series Pump

#### Model GG210S

Stainless Steel Construction

Standard Clearance

3" Std. Port Size



There are many additional factors to consider when selecting a pump, including (but not limited to) suction conditions, temperature limitations and material compatibilities. Curve data is typical only, actual performance may vary. Consult the factory or an authorized Tuthill Pump Group representative for assistance.

Version 2.3.A.6

Created on  
 January 3, 2003